SPECIALTY GUIDELINE MANAGEMENT

IMBRUVICA (ibrutinib)

POLICY

I. INDICATIONS

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

- A. <u>FDA-Approved Indications</u>
 - Mantle Cell Lymphoma (MCL) Imbruvica is indicated for the treatment of adult patients with MCL who have received at least one prior therapy.
 - 2. Chronic Lymphocytic Leukemia (CLL)/Small Lymphocytic Lymphoma (SLL)
 - i. Imbruvica is indicated for the treatment of adult patients with CLL/SLL.
 - ii. Imbruvica is indicated for the treatment of adult patients with CLL/SLL with 17p deletion.
 - 3. Waldenström's Macroglobulinemia (WM) Imbruvica is indicated for the treatment of adult patients with WM.
 - 4. Marginal Zone Lymphoma (MZL) Imbruvica is indicated for the treatment of adult patients with MZL who require systemic therapy and have received at least one prior anti-CD20-based therapy.
 - Chronic Graft versus Host Disease (cGVHD) Imbruvica is indicated for the treatment of adult patients with cGVHD after failure of one or more lines of systemic therapy.
- B. Compendial Use
 - 1. Mantle cell lymphoma, in combination with rituximab as pretreatment in order to limit the number of cycles of less aggressive induction therapy with RHyperCVAD (cyclophosphamide, vincristine, doxorubicin, and dexamethasone) regimen
 - 2. Gastric MALT lymphoma, second-line or subsequent therapy for recurrent or progressive disease
 - 3. Non-gastric MALT lymphoma, second-line or subsequent therapy for refractory or progressive disease
 - 4. Hairy cell leukemia, as a single agent for progression
 - 5. Lymphoplasmacytic lymphoma (LPL)

All other indications are considered experimental/investigational and are not a covered benefit.

II. CRITERIA FOR INITIAL APPROVAL

A. Mantle Cell Lymphoma (MCL)

Authorization of 12 months may be granted to members with MCL who meet one of the following criteria:

Imbruvica 1997-A SGM P2017a

© 2017 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with CVS Caremark.



- 1. The patient has received at least one prior therapy.
- 2. Imbruvica will be used in combination with rituximab as pretreatment to induction therapy with RHyperCVAD (cyclophosphamide, vincristine, doxorubicin, and dexamethasone) regimen.
- **B.** Chronic Lymphocytic Leukemia (CLL) and Small Lymphocytic Lymphoma (SLL) Authorization of 12 months may be granted to members with CLL/SLL.
- **C.** Waldenström's Macroglobulinemia/lymphoplasmacytic lymphoma (WM/LPL) Authorization of 12 months may be granted to members with WM/LPL.

D. Marginal Zone Lymphoma (MZL)

Authorization of 12 months may be granted to members with MZL who require systemic therapy and who have received at least one prior anti-CD20-based therapy.

- E. Chronic Graft-Versus-Host Disease (cGVHD) Authorization of 12 months may be granted to members with cGVHD who have failed one or more lines of systemic therapy.
- F. Gastric MALT Lymphoma and Non-gastric MALT Lymphoma Authorization of 12 months may be granted to members with recurrent, refractory, or progressive gastric or non-gastric MALT lymphoma as second-line or subsequent therapy.

G. Hairy Cell Leukemia

Authorization of 12 months may be granted to members with hairy cell leukemia when Imbruvica is used as a single agent for disease progression.

III. CONTINUATION OF THERAPY

All members (including new members) requesting authorization for continuation of therapy must meet ALL initial authorization criteria.

IV. REFERENCES

- 1. Imbruvica [package insert]. Sunnyvale, CA: Pharmacyclics LLC; August 2017.
- 2. National Comprehensive Cancer Network. The NCCN Drugs & Biologics Compendium. http://www.nccn.org. Accessed August 24, 2017.
- National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: B-cell Lymphomas. Version 3.2017. https://www.nccn.org/professionals/physician_gls/pdf/b-cell.pdf. Accessed August 28, 2017.
- 4. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology: Hairy Cell Leukemia. Version 1.2018. https://www.nccn.org/professionals/physician_gls/pdf/hairy_cell.pdf. Accessed August 28, 2017.

Imbruvica 1997-A SGM P2017a

© 2017 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with CVS Caremark.

